

**NewThingLine**  
Bring Value to Customers

# 2026 CATALOGUE

Kitchen and Bathroom Lighting Solution Expert



**20 YEARS EXPERTISE**

**KITCHEN AND BATHROOM LIGHTING**



We provide  
OEM and ODM services  
to meet any individual  
requirements.  
We are here for  
you to light up  
your exquisite  
home or bath  
with our  
amazing products.

# COMPANY PROFILE

Welcome to NewThingLine — backed by 20 years of expertise as a market leader in custom lighting solutions for kitchens, furniture, and bathrooms.

We specialize in high-efficiency LED lighting with superior CRI, and are especially skilled at delivering fast, customized lighting solutions for bathroom fixtures, cabinet lighting, and kitchen furniture illumination.

As an all-in-one partner, we guide your vision from concept to final product. Our focus includes custom cabinet lights and illuminated mirrors, tailored to meet EU and US market standards. We support you through every stage: initial drawings, prototypes, pilot production, and mass production— all accompanied by complete documentation and necessary CE/ETL certifications.

All manufacturing takes place at our ISO9001 and ETL-certified facility, ZHS Home in Dongguan, China, which has extensive experience serving North American and European markets. This ensures you receive precisely the right product, delivered on time, with reliable follow-up throughout the process.

Below you'll find a selection of our standard products, but we truly excel in transforming your unique ideas into tailored lighting solutions for your business.

Have a project in mind? We'd love to hear from you.

Please feel free to contact us — we are fluent in English.

Let us illuminate your spaces with quality, innovation, and speed.



做好产品包装工作，  
Safety regulation system.  
保障产品最终质量。  
Ensure the final quality of products.

重视品质要付出代价，  
Pay attention to the quality of the price.  
不重视品质代价更高  
Do not pay more attention to the quality  
of the cost of higher.

人命关天，安全第一。  
Safety first, quality first.  
安全第一，防灾防损。  
Heavy first, prevention.

我努力才能成功，  
Only by working hard can I succeed.  
我懈怠只有失败。  
Only by being lazy can I fail.

安全创造幸福，  
Safety creates happiness.  
疏忽带来痛苦。  
Carelessness brings pain.

品质客户满意，  
Quality customer satisfaction,  
创造价值责任。  
Creating value responsibility.

包装区

装门区



426x813

6  
5

83x533

692x692



# OUR VALUES

We are professional and innovative manufacturer with the desire to make a positive difference in consumer electronics field where we live and work. Our aim is to bring up best quality products to our customers that could help to improve the lives of people all over the world. Our values form the basis of our culture that helps unite and guide our actions in one way to achieve our missions and visions.

## Product & Mission

We care all of our customers and value loyalty to each other. We are eager to build a sustainable business together with our customers in upcoming future. Trust and integrity are the cornerstones of our faith. At the meantime, we are proud to be able to create value for our customers, and moved by mutual support and trust, also regard all customers as the most valuable partner and friends.

## Ideal & Vision

We always seek to understand how we fit into the 'bigger picture' and to embrace change and the new ideas, opportunities, and growth that come with it. Adhering to the concept of "Technology and life is inseparable" - and we constantly innovate, manufacture quality products which could help to shape and enhance daily life for people all over the world.

## Loyalty & Friendship

We care all of our customers and value loyalty to each other. We are eager to build a sustainable business together with our customers in upcoming future. Trust and integrity are the cornerstones of our faith. At the meantime, we are proud to be able to create value for our customers, and moved by mutual support and trust, also regard all customers as the most valuable partner and friends.

# Contents

PRODUCT FEATURES	P01 ~ 06
BATHROOM LED ILLUMINATED MIRRORS	P07 ~ 20
BATHROOM SMART MIRRORING CABINETS	P21 ~ 30
BATHROOM WALL LAMPS & KITCHEN PENDANTS	P31 ~ 37
LED DRIVERS & CONTROLLERS WIRES & ACCESSORIES	P37 ~ 57
LED STRIPLIGHTS CABINET LED LIGHTS	P58 ~ 88

We provides a wide range of stylish products to complete and perfect your home especially bathroom with LED Backlit Mirrors, LED Backlit Mirror Cabinets, Cabinets with wash basin and storage. A LED illuminated mirror will enlarge even the smallest spaces, reflecting light and brighten your day. A host of useful functions and features such as wireless technology of Bluetooth and WiFi, heated demister, integrated power sockets and usb port, as which will make your living comfortable and convenient

# SMART MIRRORS

It is an ideal option for you.

The LED mirror has a simple and classic design, the glass and metal frame are full of texture. It can facilitate your bathtime, makeup shaving and skin care, meanwhile to decorate and create a relaxing vibe to your bedroom or bathroom with elegant.



Above  
3~7X  
Magnifying



Left  
Anti Fog  
High Definition

Right  
Customized  
LED engraver



**NewThingLine**



**Bathroom LED Illuminated Mirror**



# PREMIUM LED BACK-LIGHTING

Better illuminate your beauty!

The LED light of the mirror is of good quality. Natural 2 frosted white light helps reflect true colors and the light source surrounding the mirror does not cast any shadows. It provides a corona of illumination that spreads warmth throughout the room.



## Premium Water-proof Selected LED Strips

Highlight, Energy-saving, High Color Rendering, Anti-creep, Exceptional Color Accuracy, No Flickering, Mercury free, No UV, Low Light Degradation, Long Lasting and Durable.

## Integrated Design of Light Source Structure

Patented design, moisture-proof and water-proof, Uniform luminous, Soft and not dazzling, No strips exposed, Safe and tidy.

## 3 Colors Switch & Dark/Light Dimming

Premium LED enable our mirrors drastically reduce energy consumption, environmental impact and maintenance.




## Eco-Friendly Light Source Light Color Change

Touch Controls Light Color From 3000K yellow light 4000K Warm White Light to 6000K Cool White Light Brightness Change Touch Controls the brightness to make comfortable


# STURDY & DURABLE

It can serve you for a long time.

Complete, Strict and comprehensive working processes, from raw materials input and testing, cleaning, glass lamination, varnishing, sandblasting, coating, grinding ... every step is required precisely and flawlessly.




Float Glass Clearness,  
Brightness, Superiority



## Premium Aluminum Body & Frame

Formaldehyde & Odor Free Rust-free and  
Moisture-proof Integrity & Smooth Surface,  
Easy to Clean Bend Resistance Mildew-proof  
Anti-corrosion Not Easy to Deform Strong  
Load Capacity



## Anti-bursting Mirror

Mirror applied anti-bursting film that won't spatter everywhere when the glass shattered remains in one piece to protect you against injury.



Silent Damp Hinge  
Automatic return,  
Durable




Never Miss Any Details

# EASY WALL-MOUNTED DESIGN

Flexible installation position and easy hanging method.

The LED mirror and cabinet with wall-mounted design, The design is perfect liberation of your hands, You can install it in the bathroom or bedroom easily with some simple processes.



# FIRM & SAFE PACKAGING

Safe transportation and logistics without worry.


We use safe and environmental protection packaging materials, and design customized packaging methods for all products. At the same time, the packaging of each product has been strictly and professionally tested. We try our best to ensure that the products are intact from packaging to delivery, from loading to shipping, and finally to unloading and door-to-door delivery.

## Inner Package:

PE Bag, EPE Foam, Styrofoam Protector,


## Outer Master Carton:

Double-wall Corrugated Cardboard Box




## Package Safe Verification Testing

Drop Testing  
Vibration Testing




## Extra Protection Packing (Optional)

Wooden Frame Protection  
MDF Case Protection



## Pallet Loading and Customized Service Available




# NewThingLine

## Halo Mirror



<b>Model</b>	M001	
<b>Light Source</b>	2835 LED Strip	
<b>Input Voltage</b>	100-120V~/ 220-240V~	
<b>Color Temperaturer</b>	3000K/4000K/6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



Please refer to page 97 for all sizes.


# Sienna Mirror



<b>Model</b>	M004	
<b>Light Source</b>	2835 LED Strip	
<b>Input Voltage</b>	100-120V~/ 220-240V~	
<b>Color Temperaturer</b>	3000K/4000K/6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming

## Sizes with Injection-moulded Frame

NO.	Siena Model#	Size L x H (CM)
1	M004-3050	30x50
2	M004-3565	35x65
3	M004-3876	38x76
4	M004-4060	40x60
5	M004-4175	41x75
6	M004-4383	43x83
7	M004-4478	44x78
8	M004-4585	45x85
9	M004-5484	54x84
10	M004-5585	55x85
11	M004-5892	58x92
12	M004-5994	59x94
13	M004-6060	60x60
14	M004-6310	63x106
15	M004-6510	65x100
16	M004-6711	67x117
17	M004-7011	70x110
18	M004-8060	80x60
19	M004-8454	84x54
20	M004-9258	92x58
21	M004-9459	94x59
22	M004-10065	100x65
23	M004-10663	106x63
24	M004-11070	110x70
25	M004-11761	117x61
26	M004-11767	117x67
27	M004-12783	127x83
28	M004-13686	136x86



Model: M004-8060

Please refer to page 89-93 for all available sizes.

IP44 RoHS




# NewThingLine

## Corona Mirror



<b>Model</b>	M006
<b>Light Source</b>	2835 LED Strip
<b>Input Voltage</b>	100-120V~/ 220-240V~
<b>Color Temperaturer</b>	3000K/4000K/6500K
<b>Optional Functions</b>	Defogging                      Touch Sensor Magnifying                      Motion Sensor LED Clock                      Power Socket Nightlight                      BT Speaker Color Tuning                      LED Dimming



Please refer to page 98 for all sizes.



# Milano Mirror



**Model** M017


**Light Source** 2835 LED Strip

**Input Voltage** 100-120V~/ 220-240V~

**Color Temperaturer** 3000K/4000K/6500K

<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming

Ø60/70/80/100cm  
[Ø23.5"/27.5"/31.5"/39.5"]



4.5cm  
[1-3/4"]




# NewThingLine

## Venice Mirror



<b>Model</b>	M018	
<b>Light Source</b>	2835 LED Strip	
<b>Input Voltage</b>	100-120V~/ 220-240V~	
<b>Color Temperaturer</b>	3000K/4000K/6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



# Malmo Mirror




**Model** M007

**Light Source** 2835 LED Strip

**Input Voltage** 100-120V~/ 220-240V~

**Color Temperaturer** 3000K/4000K/6500K

<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming




# NewThingLine

## Barcelona Mirror



<b>Model</b>	M019	
<b>Light Source</b>	2835 LED Strip	
<b>Input Voltage</b>	100-120V~/ 220-240V~	
<b>Color Temperaturer</b>	3000K/4000K/6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



## Vienna Mirror




**Model** M020

**Light Source** 2835 LED Strip

**Input Voltage** 100-120V~/ 220-240V~

**Color  
Temperatures** 3000K/4000K/6500K

<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming




# NewThingLine

## Paris Mirror



<b>Model</b>	M021	
<b>Light Source</b>	2835 LED Strip	
<b>Input Voltage</b>	100-120V~/ 220-240V~	
<b>Color Temperaturer</b>	3000K/4000K/6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



# London Mirror



**Model** M022


**Light Source** 2835 LED Strip

**Input Voltage** 100-120V~/ 220-240V~

**Color Temperaturer** 3000K/4000K/6500K

**Optional Functions**

Defogging	Touch Sensor
Magnifying	Motion Sensor
LED Clock	Power Socket
Nightlight	BT Speaker
Color Tuning	LED Dimming




# NewThingLine

## Oslo Mirror




<b>Model</b>	M014	
<b>Light Source</b>	2835 LED Strip	
<b>Input Voltage</b>	100-120V~/ 220-240V~	
<b>Color Temperaturer</b>	3000K/4000K/6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming





## Kiruna Mirror

<b>Model</b>	M009	
<b>Light Source</b>	2835 LED Strip	
<b>Input Voltage</b>	100-120V~/ 220-240V~	
<b>Color Temperaturer</b>	3000K/4000K/6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming




Please refer to page 94-96 for all sizes.

# G Mirror



<b>Model</b>	M012	
<b>Light Source</b>	2835 LED Strip	
<b>Input Voltage</b>	100-120V~/ 220-240V~	
<b>Color Temperaturer</b>	3000K/4000K/6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



## Shelf Mirror




**Model** M011

**Light Source** 2835 LED Strip

**Input Voltage** 100-120V~/ 220-240V~

**Color Temperature** 3000K/4000K/6500K

<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



# SMART MIRRORED CABINETS

It is an ideal option for you.

The LED mirrored Cabinet has a simple and Classic design, the glass and metal frame are full of texture. It can facilitate your bathtime, makeup shaving and skin care, meanwhile to decorate and create a relaxing vibe to your bedroom or bathroom with plenty of storage space.



Above  
Outlet & USB Ports

Left  
24"  
Single Door

Right  
60" Medicine Cabinet  
organized inner shelves






# NewThingLine

## Lumora Mirror Cabinet



<b>Model</b>	MC001	
<b>Size (Inches)</b>	24"x32"x 5" 48"x32"x 5" 60"x32"x 5" More Customized	
<b>Light Source</b>	2835/5050/3014/3020 LED Strip,TSHO/HE	
<b>Input Voltage</b>	110~240V	
<b>Color Temperaturer</b>	2700~6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



# Lyon Mirror Cabinet



**Model** MC002

**Size (Inches)** 24"x32"x 5"  
48"x32"x 5"  
60"x32"x 5"  
More Customized

**Light Source** 2835/5050/3014/3020  
LED Strip, T5HO/HE

**Input Voltage** 110~240V

**Color Temperaturer** 2700~6500K

<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



# NewThingLine

## Vigo Mirror Cabinet



<b>Model</b>	MC003	
<b>Size (Inches)</b>	24"x32"x 5" 48"x32"x 5" 60"x32"x 5" More Customized	
<b>Light Source</b>	2835/5050/3014/3020 LED Strip, T5HO/HE	
<b>Input Voltage</b>	110~240V	
<b>Color Temperaturer</b>	2700~6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



# Arno Mirror Cabinet



<b>Model</b>	MC004	
<b>Size (Inches)</b>	24"x32"x 5" 48"x32"x 5" 60"x32"x 5" More Customized	
<b>Light Source</b>	2835/5050/3014/3020 LED Strip, T5HO/HE	
<b>Input Voltage</b>	110~240V	
<b>Color Temperatuer</b>	2700~6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



# NewThingLine

## Dover Mirror Cabinet



<b>Model</b>	MC005	
<b>Size (Inches)</b>	24"x32"x 5" 48"x32"x 5" 60"x32"x 5" More Customized	
<b>Light Source</b>	2835/5050/3014/3020 LED Strip, T5HO/HE	
<b>Input Voltage</b>	110~240V	
<b>Color Temperaturer</b>	2700~6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



## Lorne Mirror Cabinet



<b>Model</b>	MC006	
<b>Size (Inches)</b>	24"x32"x 5" 48"x32"x 5" 60"x32"x 5" More Customized	
<b>Light Source</b>	2835/5050/3014/3020 LED Strip,T5HO/HE	
<b>Input Voltage</b>	110~240V	
<b>Color Temperaturer</b>	2700~6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



# NewThingLine

## Elba Mirror Cabinet



<b>Model</b>	MC007	
<b>Size (Inches)</b>	24"x32"x 5" 48"x32"x 5" 60"x32"x 5" More Customized	
<b>Light Source</b>	2835/5050/3014/3020 LED Strip, T5HO/HE	
<b>Input Voltage</b>	110~240V	
<b>Color Temperaturer</b>	2700~6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



## Como Mirror Cabinet



<b>Model</b>	MC008	
<b>Size (Inches)</b>	24"x32"x 5" 48"x32"x 5" 60"x32"x 5" More Customized	
<b>Light Source</b>	2835/5050/3014/3020 LED Strip, T5HO/HE	
<b>Input Voltage</b>	110~240V	
<b>Color Temperaturer</b>	2700~6500K	
<b>Optional Functions</b>	Defogging	Touch Sensor
	Magnifying	Motion Sensor
	LED Clock	Power Socket
	Nightlight	BT Speaker
	Color Tuning	LED Dimming



**20 Years Expertise**




**NewThingLine**

**Bathroom Wall Lamp**

**Kitchen Pendants**





# NewThingLine



## Arch Wall Lamp

Model	WS001
Light Source	2835 LED Ra>90
Input Voltage	220-240V~,50/60Hz
Color Temperaturer	3000K/4000K/6500K
Optional Functions	LED Dimming



Material: Iron+PMMA

Application: Over Mirror or display Frame

Indirect soft light

Solid 5mm Iron/Aluminum material

IP44

Size: 580x78x85mm




IP44 RoHS





## Pisa Wall Lamp

<b>Model</b>	WS002
<b>Light Source</b>	2835 LED
<b>Input Voltage</b>	220-240V~,50/60Hz
<b>Color Temperaturer</b>	3000K/4000K/6500K
<b>Optional Functions</b>	LED Dimming



Material: Iron+PMMA

Application: Over Mirror or display Frame

Indirect soft light


Solid 5mm Iron/Aluminum material

IP44

Size: 584x78x85mm



# NewThingLine




## Illuminated Plate

- Model** WP004A
- Light Source** 2835 LEDs, Ra>90
- Input Voltage** 220-240V~,50/60Hz
- Color Temperaturer** 3000K/4000K/6500K
- Optional Functions** LED Dimming

Material: Frosted PMMA

Triac Dimmable optional


Model	Size (mm)	Rating
W004A-450	450x136x20	LED 5W
W004A-600	600x136x20	LED 6W
W004A-700	700x136x20	LED 7W
W004A-800	800x136x20	LED 8W
W004A-900	900x136x20	LED 9W





## Linen Square

Model	WG005/WG005A
Light Source	2835 LED, Ra>90
Input Voltage	220-240V~,50/60Hz
Color Temperaturer	3000K/4000K/6500K
Optional Functions	LED Dimming




Material: Glass+Steel

Application: Over Mirror or side of mirror

Linen looking, soft light

Size: 384/604x79x58mm



CE IP44 RoHS




# NewThingLine

## Opal Contour



Model	WG006
Light Source	2835 12W Ra>90
Input Voltage	220-240V~,50/60Hz
Color Temperaturer	3000K/4000K/6500K
Optional Functions	LED Dimming

Material: Opal Glass + Steel  
12W LED 3000K Ra>90  
Over Mirror Light  
Soft Light



CE IP44 RoHS







## Slender Pendant

<b>Model</b>	PA001A / PA001B / PA001C
<b>Light Source</b>	2835 LEDs, Ra>90
<b>Input Voltage</b>	100-120V/ 220-240V~,50/60Hz
<b>Color Temperaturer</b>	3000K/4000K/6500K
<b>Optional Functions</b>	Color Tuning LED Dimming

Material: Aluminum+PC

Application: kitchen/display

Height adjustable



Voltage: 220-240V~  
Color Temperature: 3000K



# NewThingLine

## Conduit Pendant



<b>Model</b>	PS001A / PS001B / PS001C
<b>Light Source</b>	GU10 LED Bulb Max.10W
<b>Input Voltage</b>	220-240V~,50/60Hz
<b>Color Temperaturer</b>	3000K/4000K/6500K
<b>Optional Functions</b>	LED Dimming

PS001A (Black+Brass) PS001C (Black+Bronze) PS001B (Black+Chrome)



Material: Iron

Input: 220-240V~, 50Hz/60Hz

GU10 Max. 10W LED Bulb(Sold Separately)

Application: kitchen/display

LED Bulb height adjustable




CE IP44 RoHS



## **LED Driver & Controllers**

### **Wire & Accessories**



# NewThingLine



## Constant Voltage LED Driver 12V/24V

<b>Model</b>	12E24 / 24E24
<b>Input Voltage</b>	220-240V~,50/60Hz
<b>Output</b>	12Vdc 2A/24Vdc 1A, 24W


- Independent design
- Flicker Free
- Short circuit, open circuit, overload protection
- Compliant with new EU EMC standards

ENIEC55015:2019+A11:2020

ENIEC61547:2023

ENIEC61000-3-2:2019+A1:2021

EN61000-3-3:2013+A1:2019+A2:2021



RoHS





## Constant Voltage LED Driver 12V/24V

<b>Model</b>	12E36 / 24E36
<b>Input Voltage</b>	220-240V~,50/60Hz
<b>Output</b>	12Vdc 3A/24Vdc 1.5A, 36W

- Independent design
- Flicker Free
- Short circuit, open circuit, overload protection
- Compliant with new EU EMC standards

ENIEC55015:2019+A11:2020

ENIEC61547:2023

ENIEC61000-3-2:2019+A1:2021

EN61000-3-3:2013+A1:2019+A2:2021



# NewThingLine



## Constant Voltage LED Driver 12V/24V

<b>Model</b>	12E12 / 24E12
<b>Input Voltage</b>	220-240V~, 50/60Hz
<b>Output</b>	12Vdc 1A/24Vdc 0.5A, 12W


- Independent design
- Flicker Free
- Short circuit, open circuit, overload protection
- Compliant with new EU EMC standards

ENIEC55015:2019+A1:2020

ENIEC61547:2023

ENIEC61000-3-2:2019+A1:2021

EN61000-3-3:2013+A1:2019+A2:2021



RoHS



## Constant Voltage LED Driver 12V/24V



<b>Model</b>	12E48 / 24E48
<b>Input Voltage</b>	220-240V~,50/60Hz
<b>Output</b>	12Vdc 4A/24Vdc 2A, 48W


- Independent design
- Flicker Free
- Short circuit, open circuit, overload protection
- Compliant with new EU EMC standards

ENIEC55015:2019+A11:2020

ENIEC61547:2023

ENIEC61000-3-2:2019+A1:2021

EN61000-3-3:2013+A1:2019+A2:2021



RoHS



# NewThingLine

## Constant Voltage LED Driver 12V/24V



<b>Model</b>	12E60 / 24E60
<b>Input Voltage</b>	220-240V~,50/60Hz
<b>Output</b>	12Vdc 5A/24Vdc 2.5A, 60W

- Independent design
- Flicker Free
- Short circuit, open circuit, overload protection
- Compliant with new EU EMC standards


ENIEC55015:2019+A11:2020

ENIEC61547:2023

ENIEC61000-3-2:2019+A1:2021

EN61000-3-3:2013+A1:2019+A2:2021






## Constant Voltage LED Driver Primary Triac Dimmable


<b>Model</b>	36-12VFT-1 / 36-24VFT-1
<b>Input Voltage</b>	220-240V~,50/60Hz
<b>Output</b>	12Vdc 3A/24Vdc 1.5A, 60W

- Primary Trac Dimmable
- Noise control
- Load 6-30W
- Fits for 12V/24V LED Lights
- PF>0.9
- Short circuit, open circuit, overload, over temperature protection
- Compliant with new EU EMC standards

ENIEC55015:2019+A11:2020  
 ENIEC61547:2023  
 ENIEC61000-3-2:2019+A1:2021  
 EN61000-3-3:2013+A1:2019+A2:2021




# NewThingLine



## Constant Voltage LED Driver 12V/24V

- IP44, Rewireable
- 2M Input cable with Euro plug
- Independent slim design, 18mm height housing
- Flicker Free
- Short circuit, open circuit, overload, over temperature protection
- Compliant with new EU EMC standards  
ENIEC55015:2019+A11:2020  
ENIEC61547:2023  
ENIEC61000-3-2:2019+A1:2021  
EN61000-3-3:2013+A1:2019+A2:2021



Model	Size (mm)	Input						Output				Ta	Tc	Certification
		Input Volt. (Vac)	Freq. (Hz.)	Input Curr. (A)	Power Factor	Eff. (typ.)	Standby Power (W)	Rated Volt. (Vdc)	Tolerance	Max. Output Volt. (no-load)	Rated Power (W)			
12SF15IP	113x47x18	220-240	50-60Hz	0.1A	>0.8	>82%	<0.5	12V	±5%	13V	15W	45°C	85°C	ENEC,CE
24SF15IP				24V				25V		15W				
12SG30IP	170x58x18	220-240	50-60Hz	0.2A	>0.9	>85%	<0.5	12V	±5%	13V	30W	40°C	85°C	ENEC,CE
24SG30IP				24V				25V		30W				
12SH45IP	231x58x18	220-240	50-60Hz	0.3A	>0.9	>87%	<0.5	12V	±5%	13V	45W	45°C	85°C	ENEC,CE
24SH45IP				24V				25V		45W				
12SH60IP	231x58x18	220-240	50-60Hz	0.35A	>0.9	>87%	<0.5	12V	±5%	13V	60W	45°C	85°C	ENEC,CE
24SH60IP				24V				25V		60W				
12SZ100IP	270.5x61x18	220-240	50-60Hz	0.55A	>0.9	>88%	<0.5	12V	±5%	13V	100W	45°C	85°C	ENEC,CE
24SZ100IP				24V				25V		100W				


CE IP44 SELV RoHS





## Constant Voltage Smart LED Driver 12V/24V

<b>Model</b>	AW06-12SA15 / AW06-24SA15
<b>Input Voltage</b>	220-240V~,50/60Hz
<b>Output</b>	12Vdc 1.25A/24Vdc 0.625A, 15W



Bluetooth Receiver  
(Sold Separately)



WIFI 433MHz Receiver  
(Sold Separately)



Zigbee 433MHz Receiver  
(Sold Separately)

Long lasting and high reliability,  
Extra small compact housing,


Safety according to

EN 61347-1 , 61347-2-13, 62493

RI suppression according to EN 55015 /CDN


Line harmonics according to EN 61000-3-2

Immunity according to EN 61547



# NewThingLine

## Constant Voltage Smart LED Driver 12V/24V



<b>Model</b>	AW06-12SC30 / AW06-24SC30
<b>Input Voltage</b>	220-240V~, 50/60Hz
<b>Output</b>	12Vdc 2.5A/24Vdc 1.25A, 30W



Bluetooth Receiver  
(Sold Separately)




WIFI 433MHz Receiver  
(Sold Separately)




Zigbee 433MHz Receiver  
(Sold Separately)

Long lasting and high reliability,  
Extra small compact housing,  
Safety according to  
EN 61347-1 , 61347-2-13, 62493  
RI suppression according to EN 55015 /CDN  
Line harmonics according to EN 61000-3-2  
Immunity according to EN 61547



## Constant Voltage Smart LED Driver 12V/24V



**Model** AW06-12SE60 / AW06-24SE60

**Input Voltage** 220-240V~, 50/60Hz

**Output** 12Vdc 5A/24Vdc 2.5A, 60W



Bluetooth Receiver  
(Sold Separately)



WiFi 433MHz Receiver  
(Sold Separately)



Zigbee 433MHz Receiver  
(Sold Separately)

Long lasting and high reliability,  
Extra small compact housing,


Safety according to

EN 61347-1 , 61347-2-13, 62493

RI suppression according to EN 55015 /CDN

Line harmonics according to EN 61000-3-2

Immunity according to EN 61547



# NewThingLine

## Constant Voltage Smart LED Driver 12V/24V



**Model**

AW06-12SE100 / AW06-24SE100

**Input Voltage**

220-240V~,50/60Hz

**Output**

12Vdc 8.33A/24Vdc 4.16A, 100W



Bluetooth Receiver  
(Sold Separately)




WIFI 433MHz Receiver  
(Sold Separately)



Zigbee 433MHz Receiver  
(Sold Separately)

Long lasting and high reliability,  
Extra small compact housing,  
Safety according to  
EN 61347-1 , 61347-2-13, 62493  
RI suppression according to EN 55015 /CDN  
Line harmonics according to EN 61000-3-2  
Immunity according to EN 61547



## IR Sensor Switch Dual Mode (Door mode / Hand Wave mode) 12V-24V



Fade on/off/dim

0-8cm detection range


Recess hole-only Ø8mm

Interference sensor head

**Model** IR001W

**Input** 12Vdc 3A 36W / 24Vdc 3A 72W

**Output** 12Vdc 3A 36W / 24Vdc 3A, 72W



Dip Switch to select mode

Door Mode/Hand Wave Mode

Surface Mount/recess mount optional



**SELV RoHS**





# NewThingLine

## IR Sensor Door Switch 1-Head 12V-24V




<b>Model</b>	IR024W
<b>Input</b>	12Vdc 3A 36W / 24Vdc 3A 72W
<b>Output</b>	12Vdc 3A 36W / 24Vdc 3A, 72W



## IR Sensor Door Switch 2-Head 12V-24V



<b>Model</b>	IR025W
<b>Input</b>	12Vdc 3A 36W / 24Vdc 3A 72W
<b>Output</b>	12Vdc 3A 36W / 24Vdc 3A, 72W



# NewThingLine

## Touch switch Through Cupboard (5-40mm) 12V-24V



<b>Model</b>	TS002W
<b>Input</b>	12V-24Vdc Max.3A
<b>Output</b>	12V-24Vdc Max.3A

- Touch function through max.40mm cupboard  
(wooden or equivalent inconductive material)
- Touch on/off/dim
- Power-off Memory function  
(Remembers its last setting ----on/off or brightness level)
- Fade on/off
- Input:12-24Vdc,Max.3A;
- Output: 12V-24Vdc, max.3A  
12V,max.36W / 24V,max.72W
- Size: 43.5x33x14.5mm



## Wireless WIFI&Kinetic Controller 12-24V





<b>Model</b>	WK007A
<b>Input</b>	12Vdc 60W / 24Vdc 100W
<b>Output</b>	12Vdc 60W / 24Vdc 100W

- Controlling light with app or Kinetic remote controller
- Work with Tuya Smart or Smart Life app
- For controlling SingleWhite light(on/off/dim)
- Work with WK007E kinetic remote control (Sold Separately)

## Q7 Wireless Kinetic Self-powered Switch

<b>Model</b>	WK007E
<b>Wireless communication</b>	RF 433 Hz
<b>Operating Range</b>	80m Outdoor / 25m Indoor

- A circular push button that supports tapping
- For controlling SingleWhite light
- Working with a receiver/controller(WK007A)



# NewThingLine


## Extension Cord 2 meter 12V-24V




<b>Model</b>	L818-L
<b>Wire size</b>	22AWG/2C UL Listed / 2x0.34mm <sup>2</sup>
<b>Output</b>	12V-24V Max.3A
<b>Connector</b>	2.54 Male and Female Connector

## Extension Cord 2 meter 12V-24V

<b>Model</b>	L818-R
<b>Wire size</b>	22AWG/2C UL Listed / 2x0.34mm <sup>2</sup>
<b>Output</b>	12V-24V Max.3A
<b>Connector</b>	2.54 Male and Female Connector




Extension Cord 2 meter  
12V-24V



<b>Model</b>	L812
<b>Wire size</b>	22AWG/2C UL Listed / 2x0.34mm <sup>2</sup>
<b>Output</b>	12V-24V Max.3A
<b>Connector</b>	2.51 Male and Female Connector


6-way / 12-way Distributor  
12V-24V

<b>Model</b>	L803-6 / L803-12
<b>Rating</b>	12Vdc Max.3A / 24Vdc Max.3A
<b>Wire Length</b>	0.15 meters(customized)




# NewThingLine

## Distributore 12-24V




## 3-Way Distributore

Model L806-3




## 4-Way Distributore

Model L806-4



## 6-Way Distributore

Model L806-6SW



## 10-Way Distributore

Model L806-10




SELV RoHS




## LED Striplights

## Cabinet LED Lights



# NewThingLine



Coolcut 2835 LED strip  
12V 8mm 140lm/W

<b>Model</b>	LF0108N
<b>Rating</b>	12Vdc 9W/meter
<b>LED</b>	High Efficient 2835 LED, Ra>90 3000K 120LEDs/meter ~140lm/W Energy Class D
<b>PCB</b>	8mm width, Min.cutting 8.3mm

Coolcut 2835 LED strip  
12V 5mm 140lm/W


<b>Model</b>	LF0105N
<b>Rating</b>	12Vdc 9W/meter
<b>LED</b>	High Efficient 2835 LED, Ra>90 3000K 120LEDs/meter ~140lm/W Energy Class D
<b>PCB</b>	5mm width, Min.cutting 8.3mm



SELV RoHS



## COB LED Strip 5mm 5V




<b>Model</b>	LF0205N
<b>Rating</b>	5Vdc 7W/meter (3.7V 3W/m)
<b>LED</b>	COB LED, 320chips/m, Ra>90 3000K ~90lm/W
<b>PCB</b>	5mm width, Min. cutting 10mm

- USB lead wire with controller optional

## Coolcut 2835 LED strip 5V 8mm

<b>Model</b>	LF0208N
<b>Rating</b>	5Vdc 9W/meter
<b>LED</b>	2835 LED, Ra>90 3000K 120LEDs/meter
<b>PCB</b>	8mm width, Min. cutting 8.3mm

- USB lead wire with controller optional



SELV RoHS



# NewThingLine




## Solder Free 2025 LED 12V


<b>Model</b>	LF0205Y
<b>Rating</b>	12Vdc 7.5W/meter
<b>LED</b>	2025 LED, 150LEDs/m, Ra>90 3000K ~120lm/W
<b>PCB</b>	5mm width, Freecutting

## Solder Free 2025 LED 12V

<b>Model</b>	LF0208Y
<b>Rating</b>	12Vdc 7.5W/meter
<b>LED</b>	2025 LED, 150LEDs/m, Ra>90 3000K ~120lm/W
<b>PCB</b>	8mm width, Free cutting



6060 silicon lens LED strip




6060 Silicon Lens LED Strip  
24V 36° Beam Angle


<b>Model</b>	LF6060-50
<b>Rating</b>	24Vdc 15W/meter
<b>LED</b>	3000K Ra>90 ~90lm/W 50LEDs/meter
<b>PCB</b>	12mm width, Min.cutting 20mm

6060 Silicon Lens LED Strip  
24V 36° Beam Angle

<b>Model</b>	LF6060-24
<b>Rating</b>	24Vdc 8.4W/meter
<b>LED</b>	3000K Ra>90 ~90lm/W 24LEDs/meter
<b>PCB</b>	12mm width, Min.cutting 41.7mm




# NewThingLine



## AuroEdge16 Handleless LED Aluminum Profile 12V/24V

<b>Model</b>	LA3716
<b>Rating</b>	12Vdc / 24Vdc 9W/meter
<b>LED</b>	3000k Ra>90

For 16mm cupboard edge





- No visible LED dots
- Customized length

## AuroEdge18 Handleless LED Aluminum Profile 12V/24V

<b>Model</b>	LA3220
<b>Rating</b>	12Vdc / 24Vdc 9W/meter
<b>LED</b>	3000k Ra>90

For 18mm cupboard edge






## Thinline 1010 Recess Solder Free LED Profile Aluminum 12V



**Model** LA1010N

**Rating** 12Vdc 7.5W/m

**LED** 2025 Solder Free LED strip 3000K Ra>90



gradient  
glow-Left

gradient  
glow-Right





straight  
glow

## Thinline 1010 Recess Solder Free LED Profile Aluminum 12V


**Model** LA1010F

**Rating** 12Vdc 7.5W/m


**LED** 2025 Solder Free LED strip 3000K Ra>90



gradient  
glow



straight  
glow




gradient  
glow



**SELV RoHS**




# NewThingLine





## BackEdge LED Aluminum Striplight 12V/24V

<b>Model</b>	LA1806F
<b>Rating</b>	12Vdc / 24Vdc, 13W/meter
<b>LED</b>	2835 3000K Ra>90



## BackEdge LED Profile Aluminum Triple-sided Illumination 12V / 24V



<b>Model</b>	LA1920N
<b>Rating</b>	12Vdc 7.5W/m
<b>LED</b>	2025 / 2835 LED strips 3000K Ra>90







## 0408 Mini Silicon LED Striplight 12V/24V

<b>Model</b>	LS0408F
<b>Rating</b>	12Vdc / 24Vdc, 7W/meter
<b>LED</b>	2835 3000K Ra>90



## Silicon 1010 Recess LED Striplight 12V/24V

<b>Model</b>	LS1010D
<b>Rating</b>	12Vdc / 24Vdc, 9W/meter
<b>LED</b>	2835 3000K Ra>90



**SELV RoHS**







# NewThingLine



## Nova 1210B Recess LED Aluminum Striplight 12V/24V

**Model** LA1210B  
**Rating** 12Vdc / 24Vdc, 9W/meter  
**LED** 2835 3000K Ra>90





clip type F



clip type R

## Linearis 0909 Recess LED Aluminum Striplight 12V/24V

**Model** LA0909F  
**Rating** 12Vdc / 24Vdc, 7.5W/meter  
**LED** 2835/2025 3000K Ra>90




gradient glow




**SELV RoHS**






## Corner LED Aluminum Striplight 12V/24V

<b>Model</b>	LA1616S / LA1616C
<b>Rating</b>	12Vdc / 24Vdc, 9W/meter
<b>LED</b>	2835 3000K Ra>90




LA1616S



LA1616C

## 1807 Surface LED Aluminum Striplight 12V/24V

<b>Model</b>	LA1807N
<b>Rating</b>	12Vdc / 24Vdc, 9W/meter
<b>LED</b>	2835 3000K Ra>90 / RGB 5050





# NewThingLine





## IP67 2835 Flexible LED Striplight 12V/24V

<b>Model</b>	LS1005G
<b>LED</b>	2835 LED, 120LEDs/m, Ra > 90 3000K
<b>PCB</b>	8mm width



## IP67 2835 Flexible Silicon LED strip 12V / 24V


<b>Model</b>	LS1004G
<b>Rating</b>	12V/24V 10W/meter
<b>LED</b>	2835 LED, 120LEDs/m, Ra > 90 3000K
<b>PCB</b>	8mm width



## Aster D LED Spot Aluminum 12V/24V



<b>Model</b>	SA004D
<b>Rating</b>	12Vdc / 24Vdc, 3W/Spot
<b>LED</b>	2835 3000K/4000K Ra>90



Material: Aluminum

Flux Luminous:

-Light Source 140 LM/W, ~420 LM / Spot


-Useful Light Output: >300 LM

Energy Class: D

Color/Finish: Brushed Aluminum/Black Finish

Master Lamp Switch: Touch On/Off/Dim

Connector: 2.54 Micro



SELV RoHS



# NewThingLine



## Aster SE LED Spot Aluminum 12V/24V

<b>Model</b>	SA004SE (Side Emitting)
<b>Rating</b>	12Vdc / 24Vdc, 5W/Spot
<b>LED</b>	3014 3000K Ra>90

Material: Aluminum

Flux Luminous:

-Light Source 103 LM/W, ~460 LM / Spot


-Useful Light Output: >230 LM

Energy Class: F

Color/Finish: Brushed Aluminum/Black Finish

Master Lamp Switch: Touch On/Off/Dim

Connector: 2.54 Micro




**SELV RoHS**





## LED D Spot Stainless Steel 12V/24V

<b>Model</b>	SP002L
<b>Rating</b>	12Vdc / 24Vdc, 2.4W
<b>LED</b>	2835 3000K Ra>90 ~140lm/W, Energy Class D




## LED P Spot Stainless Steel 12V/24V

<b>Model</b>	SP002N
<b>Rating</b>	12Vdc / 24Vdc, 2.4W
<b>LED</b>	2835 3000K Ra>90 ~140lm/W, Energy Class D





# NewThingLine



## Aluconnect LED Extendable Aluminum Striplight 12V/24V

<b>Model</b>	LA1710
<b>Rating</b>	12Vdc / 24Vdc, 10W/meter
<b>LED</b>	2835/2025 3000K Ra>90



- LINK-TO-LENGTH AND CUT-TO-LENGTH, SUPER FLEXIBILITY FOR PROJECTS.

Free Linkable based on standard 60cm and 120cm Aluminum profile by exclusive SS clips.

- 3meter 2835 LED strip packed in a reel with lead wires+connectors on both side

for free cutting, 120LEDs/meter, individual LED cuttable length:8.3mm

High efficient LED light source 12Vdc, 10W/meter, Ra>90, 3000K/4000K/6000K optional

- Soft light output through opal extruded PC diffuser







**SELV RoHS**





## Aluconnect LED Extendable Aluminum Striplight 12V/24V

<b>Model</b>	LA1710S
<b>Rating</b>	12Vdc / 24Vdc, 10W/meter
<b>LED</b>	2835/2025 3000K Ra>90



- LINK-TO-LENGTH AND CUT-TO-LENGTH,SUPER FLEXIBILITY FOR PROJECTS.

Free Linkable based on standard 60cm and 120cm Aluminum profile by exclusive SS clips.

- 3meter 2835 LED strip packed in a reel with lead wires+connectors on both side

for free cutting, 120LEDs/meter, individual LED cuttable length:8.3mm

High efficient LED light source 12Vdc, 10W/meter, Ra>90, 3000K/4000K/6000K optional

- Soft light output through double layer dual-color extruded silicon diffuser



**SELV RoHS**



# NewThingLine



## Delta Wardrobe Battery Light



**Model** BA001N

**Input** 5Vdc

- Aluminum profile design
- Illuminate inward, with soft and non glaring light
- Easy Mounting with 3M Tape or Screws
- Variable lengths available upon request (30-96cm)
- Integrated angled PIR sensor with 30s delay
- Average charging time is 5 hours
- Mounting bracket set included




Code	Battery(mAh)	Voltage	LED Power	CCT	Sensor	Sensing Distance
BA001N-350	1000	DC5V	2W	3000K	PIR	0-3 meter
BA001N-550	1000	DC5V	1.8W	3000K	PIR	0-3 meter



# SingleWhite LED luminaires

NewThingLine always delivers high light quality lighting solutions, and our SingleWhite light has a warm and pleasant white tone. We always recommend

Warm White Lighting Temperature



## Step 1 Choose Light Source

### Wattage:

Find the watt consumption of the different light sources on the website.


### Select the desired Light Source

- P Spot      Spotlight
- D Spot      Spotlight
- DS Spot     Spotlight
- AuroEdge16/18    Handle profile
- Aluconnect    Linear light
- Thinline      Linear light
- Nova          Linear light
- 0408 Silicon    Light strip

## Step 2 Choose LED Driver

### Should the light be dimmable?

Remember to calculate the total wattage of the lights to find the correct size driver.



## Step 3 Choose Control

### HOW WOULD YOUR CUSTOMER LIKE TO CONTROL THE LIGHT?

Via App or Remote Control, or Sensor switch

Note: If the customer only wants to control the light via remote control, a controller is still required.

### WiFi Controller(Single CCT)

- WK007A - WiFi controller\*
- WK007E - Kinetic Switch remote control


\* Connects to WiFi. (\* Note: to 2.4G WiFi only)  
Controlled via the Smart Life or Tuya Smart app.

### Sensor Switch Control for Single CCT

- IR024W, IR025W IR Door Sensor Switch
- IR001W, Door Sensor/Hand Wave IR Sensor Switch
- PR024W, Door Sensor PIR Sensor Switch
- TS002W, Touch Sensor Switch through 9-40mm cupboard
- IR250W 250Vac IR Door Sensor/Hand Wave Sensor

www.newthingline.com NewThingLine Lighting Limited 8-Sep,2025









## Wiring Diagram:



# NewThingLine









## NewThingLine Cabinet Lighting Aluminum profile List












Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
LXJ-0610			W:6 H:9	Recess Mount
LXJ-1212			W:11.3 H:11.3	Surface Mount
LXJ-0917			W:17.8 H:8.7	Surface Mount
LXJ-1236			W:36 H:12	Front edge Mount with 2mm space
LXJ-618			W:21.7 H:5.7	Recess Mount
LXJ-619			W:30 H:10	Recess Mount

Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
LXJ-1410A			W:13.7 H:10	Recess Mount
LXJ-508-T			W:24.5 H:7	Recess Mount
2010-R-T			W:28 H:10	Recess Mount
LXJ-613B-T			W:24.5 H:14.2	Recess Mount
LXJ-3010-R-T			W:41.7 H:9.8	Recess Mount
LXJ-3020			W:30 H:20	Surface Mount

# NewThingLine













## NewThingLine Cabinet Lighting Aluminum profile List

Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
LXJ-1790			W:17 H:9	Surface Mount
LXJ-1790-R			W:17 H:9	Recess Mount
LXJ-614			W:19 H:19	Surface Mount
LXJ-616			W:19 H:13	Surface Mount
10x9-T			W:10 H:9	Recess Mount
17-U45DFG			W:20 H:10	Recess Mount

Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
2210-45V			W:23 H:10	Surface Mount
3218-GYG			W:34.5 H:17.8	Surface Mount
3012-FGYG			W:32.8 H:12	Surface Mount
18SML-AH			W:26.5 H:20.2	Recess Mount
18SML-B			W:17 H:18.4	Recess Mount
18SML-L			W:37.5 H:20.2	Recess Mount

# NewThingLine

## NewThingLine Cabinet Lighting Aluminum profile List













Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
18-SML-U			W:18 H:12.5	Recess Mount
3509-45V			W:35 H:9.7	Surface Mount
2511			W:17.8 H:10	Recess Mount
U45DFG			W:24.5 H:10	Recess Mount
11x15-T			W:15 H:11	Recess Mount
1509-12-T			W:20.5 H:10	Recess Mount

Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
U12-1411			W:18 H:11.5	Recess Mount
N10-1511			W:15.5 H:10.7	Recess Mount
16x13			W:18.6 H:11	Clip-on Glass Shelf 8mm
13x11			W:20.8 H:13	Clip-on Glass Shelf 8mm
1422-H8			W:14.4 H:22	Clip-on Glass Shelf 8mm
1525-H8			W:14.4 H:24.5	Clip-on Glass Shelf 8mm

# NewThingLine

## NewThingLine Cabinet Lighting Aluminum profile List

Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
1218-H10			W:12.3 H:18	Clip-on Glass Shelf 10mm
LYD-U45V			W:28 H:13	Recess Mount
45x21-SML 230x66-L			W:45 H:21 W:230 H:66	Wall Mount Alu.Shelflight
30x30-L Square			W:30 H:30	Surface Mount
30x30-L Curve			W:30 H:30	Surface Mount
U10x10-8			W:20 H:10	Surface Mount

Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
12x12-C			W:12 H:12	Surface Mount
1509-12			W:14.5 H:8.8	Surface Mount
15x10-T			W:15 H:10	Recess Mount
1310			W:13 H:10	Surface Mount
1607			W:16 H:7	Surface Mount
2207			W:22 H:7	Recess Mount

# NewThingLine













## NewThingLine Cabinet Lighting Aluminum profile List







Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
17.4x7-C			W:17.5 H:7	Surface Mount
24.5x7-B			W:25 H:7	Recess Mount
1808-16			W:18 H:8.7	Surface Mount
20x10			W:20 H:10	Surface Mount
20x10-T			W:20 H:10	Recess Mount
U20x20			W:20 H:20	Surface Mount

Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
23.5x10			W:23.5 H:10	Surface Mount
U2515-22			W:14.5 H:8.8	Surface Mount
U2515-22T			W:33 H:15	Recess Mount
40x20			W:40 H:20	Surface Mount
27x11-T			W:27 H:11	Recess Mount
2207			W:22 H:7	Recess Mount

# NewThingLine


## NewThingLine Cabinet Lighting Aluminum profile List

Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
2020-SQ			W:20 H:20	Surface Mount
2020-B			W:20 H:20	Surface Mount
20x35-U			W:20 H:35	Surface Mount
1308-B			W:13.3 H:7	Surface Mount by magnet
1308-WQ			W:14 H:9.5	Surface Mount by magnet
45V-D			W:16 H:14	Surface Mount by magnet


Product Mode	Profile drawing	Picture	Size L*W*H (mm)	Installation
2509-12			W:25 H:9	Surface Mount
1407 PC Frosted Tube			W:14 H:7.3	Surface Mount
15x8.5 Curved PC Tube			W:33 H:15	Surface Mount
XT-19 Wire guide			W:16 H:8	Surface Mount
LS003			W:12 H:4	Surface Mount 
LS007			W:17 H:7	Surface Mount 

# NewThingLine


Siena Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames Part1.




M004-13686



M004-12783




M004-11767




M004-67117


Siena Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames Part 2




Model: M004-11761




Model: M004-61117




Model: M004-11070



Model: M004-70110




Model: M004-10663




Model: M004-63106

# NewThingLine


Siena Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames Part3.




Model: M004-10065




Model: M004-65100




Model: M004-9459



Model: M004-5994




Model: M004-8454




Model: M004-5484


Siena Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames Part4.




Model: M004-8060




Model: M004-5585




Model: M004-5892



Model: M004-9258




Model: M004-6060




Model: M004-4478

# NewThingLine


Siena Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames Part5.




Model: M004-4175




Model: M004-3876




Model: M004-3565



Model: M004-4383




Model: M004-3050




Model: M004-4060


Kiruna Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames Part1.




Model: M009-5090




Model: M009-11070



Model: M009-70110




Model: M009-65105




Model: M009-10565

# NewThingLine


Kiruna Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames Part2.




Model: M009-9772




Model: M009-11072




Model: M009-4280



Model: M009-4585




Model: M009-3974




Model: M009-5555


Kiruna Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames Part3.




Model: M009-4747




Model: M009-4040




Model: M009-3535



Model: M009-3270




Model: M009-2661




Model: M009-2255


Halo Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames




Model: M001-60




Model: M001-90



Model: M001-70




Model: M001-100




Model: M001-80


Corona Mirror Series Available Sizes with Injection-moulded Sandblasted Backlighting Frames




Model: M006-60




Model: M006-90




Model: M006-70



Model: M006-100



Model: M006-80



Messenger



Whatsapp



Wechat

**NewThingLine Limited**

R&D: 5F, No.20, Guangzhong Rd. Xiaolan Town, Zhong Shan City, China(Post:528415)

Factory:6F, Bld.2, Hong Sheng Science Park,No.96, Wan Feng Rd.,Qinghu Village, Qi Shi Town, Dongguan City,China

Wechat/Whatsapp: +86 133 1287 8628

[info@newthingline.com](mailto:info@newthingline.com)

